



DESIGNED TO ENHANCE WORKER PERFORMANCE.



PF-065-095-NRG/ECO/BAL-GR/WT

POWDER-FREE ECOTEK® BIODEGRADABLE NITRILE SINGLE-USE GLOVES WITH ENERGEL™ AND BREACH ALERT™*

EXPERIENCE ENERGEL® INFUSED GLOVES, DESIGNED TO HYDRATE SKIN AND PROTECT AGAINST LONG-TERM GLOVE USAGE

- EnerGel[™] Hand Conditioning Technology clinically proven to hydrate and soothe skin
- Breach Alert[™] Visual Detection Technology provides durable 2-ply construction and contrasting inner color
- EcoTek® Biodegradability Technology accelerates landfill breakdown without any performance loss*
- · Proven resistance to fentanyl and gastric acid for over 4 hours to replicate hazardous settings and overdose conditions*
- Silicone-free for critical environments
- Exceeds 1.5 AQL laboratory standards



Optimal thickness for durability and tactile sensitivity **Fully textured** surface for wet and dry grip **Tear-resistant** beaded cuff for easy donning

EnerGel® EcoTek® BreachAlert®









33278 Central Avenue, Unit 102, Union City, CA 94587, USA Tel: +1.510.429.8692 | Fax: +1.510.487.5347

demarks and registered trademarks are the property of SW® and its affiliates D20 SW®. All rights reserved









PF-065-095-NRG/ECO/BAL-GR/WT

POWDER-FREE ECOTEK® BIODEGRADABLE NITRILE SINGLE-USE GLOVES WITH ENERGEL™ AND BREACH ALERT™*

PRODUCT DESCRIPTION

SPECIFICATIONS			
PRODUCT		PowerForm®	
GRADE		Powder-Free Exam	
MATERIAL		Nitrile	
THICKNESS	FINGER	5.9mil	0.15mm
	PALM	4.9mil	0.13mm
	CUFF	3.8mil	0.10mm
COLOR	OUTER	Green	
	INNER	White	
SURFACE	OUTER	Fully Textured	
	INNER	EnerGel™	
LENGTH		9.5"	242mm
WEIGHT		6.5g	
FIT TYPE		Ambidextrous	
CUFF TYPE		Beaded	
WATERTIGHT AQL		1.5	
ORIGIN COUNTRY		China	

PHYSICAL PROPERTIES PRE-AGING **POST-AGING TENSILE** STRENGTH: 18 MPa 18 MPa **ELONGATION:** 550% 500%

INTEGRATED TECHNOLOGIES

ENERGEL™ Hand Conditioning Technology: allows for thorough penetration of Aloe Vera into the skin, reduces water loss to retain moisture and has been clinically proven to prevent many skin ailments, like dermatitis.

ECOTEK® Biodegradability Technology: 92.6% biodegradable in 2.5 years. ASTM D5526-12 test results do not predict future biodegradation.*

BREACH ALERT™ Visual Detection Technology: provides durable 2-ply construction and contrasting inner color





STANDARDS & CERTIFICATIONS

EN 420:2003 EN 455:2000-2015 ASTM D6319-10 EU 2016/425

CAT III COMPLEX DESIGN

Specifications based on size Large glove

FDA 21 CFR 177.2600











Agriculture

Hydroponics

Assembly

Chemical Handling

APPLICATIONS

Clinical

Laboratory

Liquid Handling

Pharma Production

Please visit swsafety.com/symbols for information on standards used on this document.

ORDERING

ITEM NO.	SIZE	PALM WIDTH	PACKAGING
N189471	XS 5½ – 6	2.7" 70mm	50 gloves per box 10 boxes per case
N189472	S 6½ – 7	3.1" 79mm	50 gloves per box 10 boxes per case
N189473	M 7½ – 8	3.5" 89mm	50 gloves per box 10 boxes per case
N189474	L 8½ – 9	4.1" 104mm	50 gloves per box 10 boxes per case
N189475	XL 9½ – 10	4.5" 114mm	50 gloves per box 10 boxes per case
N189476	2XL 10½ – 11	4.9" 124mm	50 gloves per box 10 boxes per case

Keep out of sunlight. Store in a cool, dry place.















